

Amendment B

Serial No. 10/666,289
Art Unit 3721

Amendments to and Listing of the Claims

1. (Currently amended) A form, fill and seal packaging machine for forming a package, filling the package and sealing the package, the package being formed from a plurality of upstanding side walls, each contiguous with its adjacent side walls, the carton including a bottom wall contiguous with the upstanding side walls, the bottom wall being formed from a plurality of bottom wall flaps including bottom side wall flaps, a bottom leading flap and a bottom trailing flap, the upstanding side walls defining an open top, and the bottom wall flaps defining an open bottom, the packaging machine comprising:
 - a carton magazine for storing a plurality of cartons, the cartons being in a flat folded form and having a longitudinal side seal;
 - a carton erection station for receiving the cartons and opening the cartons to a tubular form;
 - a rotating turret, the turret rotating to define a turret plane;
 - a plurality of carton mandrels mounted to the turret for rotation with the turret, each mandrel configured to receive a carton in the tubular form and to carry the carton, the carton positioned on the mandrel such that a bottom of the carton is positioned at a free end of the mandrel;
 - a carton bottom heater located along a rotational path of the turret;
 - a carton bottom sealer located along the rotational path of the turret;
 - a carton bottom panel folding assembly located along the rotational path of the turret, disposed between the carton bottom heater and the carton bottom sealer, the carton bottom panel folding assembly including a pair of opposing rotating members disposed on either side of the carton as the carton traverses passed the folding assembly, each of the rotating members configured to rotate in a plane that is transverse to the turret plane, the carton bottom panel folding assembly including a tucking assembly disposed between the opposing rotating members, the tucking assembly rotating in a plane transverse to the plane of the rotating members and parallel to the turret plane, the tucking assembly including a mount extending from the drive

Amendment B

Serial No. 10/666,289
Art Unit 3721

shaft and a blade disposed at an end of the mount, the blade having a roller mounted at an end thereof and including a tab tucker extending from the mount between the shaft and the blade, wherein the tab tucker and the blade are spaced from one another during a bottom trailing flap in-folding operation.

wherein when a carton is positioned on the mandrel and passes the folding assembly, the opposing rotating members contact the bottom side wall flaps, urging the bottom side wall flaps inwardly and the tucking assembly contacts the bottom trailing flap, urging the bottom trailing flap inwardly, over the bottom side wall flaps, and wherein the tucking blade contacts a spot on the bottom trailing flap and maintains contact with the spot, substantially without sliding longitudinally from the spot, as the carton traverses passed the folding assembly.

2. (Original) The form, fill and seal packaging machine in accordance with claim 1 wherein the folding assembly includes a rotating drive shaft, wherein the opposing rotating members are operably connected to the drive shaft and wherein the tucking assembly is operably connected to the drive shaft.

3. (Original) The form, fill and seal packaging machine in accordance with claim 2 wherein the opposing rotating members are operably connected to the drive shaft by a transmission for changing a direction of rotational movement.

4. (Original) The form, fill and seal packaging machine in accordance with claim 3 wherein the transmission includes a plurality of gears.

5. (Original) The form, fill and seal packaging machine in accordance with claim 4 wherein the gears are bevel gears.

6-8. Cancelled.

Serial No. 10/666,289
Art Unit 3721

Amendment B

9. (Currently amended) A bottom folding assembly for a packaging machine, the bottom folding assembly configured to infold the bottom side panels, leading panel and trailing panel of a carton for forming a sealed carton bottom, the packaging machine including a carton magazine for storing a plurality of cartons in a flat folded form, a carton erection station for receiving the cartons and opening the cartons to a tubular form, a rotating turret onto which the cartons are positioned, the turret rotating so as to define a turret plane, a plurality of carton mandrels mounted to the turret for rotation with the turret, each mandrel configured to receive the carton in the tubular form and to carry the carton with the carton positioned such that a bottom of the carton is positioned at a free end of the mandrel, a carton bottom heater located along a rotational path of the turret and a carton bottom sealer located along the rotational path of the turret, the bottom folding apparatus comprising:

a rotating drive shaft mounted transverse to the turret plane and spaced from a periphery of the turret path;

a pair of opposing rotating members disposed on either side of the rotational path of the turret and operably mounted to the drive shaft, each of the rotating members configured to rotate in a plane that is transverse to the turret plane; and

a tucking assembly disposed between the opposing rotating members, the tucking assembly mounted to the drive shaft for rotating in a plane transverse to the plane of the rotating members and parallel to the turret plane, the tucking assembly including a mount extending from the drive shaft and a blade disposed at an end of the mount, the blade having a roller mounted at an end thereof and including a tab tucker extending from the mount between the shaft and the blade, wherein the tab tucker and the blade are spaced from one another during a bottom trailing flap in-folding operation.

wherein when a carton is positioned on the mandrel and passes the folding assembly, the opposing rotating members contact the bottom side wall flaps, urging the bottom side wall flaps inwardly and the tucking assembly contacts the bottom trailing flap, urging the bottom trailing

Amendment B

Serial No. 10/666,289
Art Unit 3721

flap inwardly, over the bottom side wall flaps, and wherein the tucking blade contacts a spot on the bottom trailing flap and maintains contact with the spot, substantially without sliding longitudinally from the spot, as the carton traverses passed the folding assembly.

10. (Original) The bottom folding assembly in accordance with claim 9 wherein the opposing rotating members are operably connected to the drive shaft by a transmission for changing a direction of rotational movement.

11. (Original) The bottom folding assembly in accordance with claim 10 wherein the transmission includes a plurality of gears.

12. (Original) The bottom folding assembly in accordance with claim 11 wherein the gears are bevel gears.

13-15. Cancelled.